

Unit 2

TYPES OF OPERATING SYSTEMS

Batch operating system

The users of a batch operating system do not interact with the computer directly. Each user prepares his job on an off-line device like punch cards and submits it to the computer operator. To speed up processing, jobs with similar needs are batched together and run as a group. The programmers leave their programs with the operator and the operator then sorts the programs with similar requirements into batches.

The problems with Batch Systems are as follows –

1. Lack of interaction between the user and the job.
2. CPU is often idle, because the speed of the mechanical I/O devices is slower than the CPU.
3. Difficult to provide the desired priority.

Time-sharing operating systems

Time-sharing is a technique which enables many people, located at various terminals, to use a particular computer system at the same time. Time-sharing or multitasking is a logical extension of multiprogramming. Processor's time which is shared among multiple users simultaneously is termed as time-sharing.

The main difference between Multiprogrammed Batch Systems and Time-Sharing Systems is that in case of Multiprogrammed batch systems, the objective is to maximize processor use, whereas in Time-Sharing Systems, the objective is to minimize response time.

Multiple jobs are executed by the CPU by switching between them, but the switches occur so frequently. Thus, the user can receive an immediate response. For example, in a transaction processing, the processor executes each user program in a short burst or quantum of computation. That is, if n users are present, then each user can get a time quantum. When the user submits the command, the response time is in few seconds at most.

The operating system uses CPU scheduling and multiprogramming to provide each user with a small portion of a time. Computer systems that were designed primarily as batch systems have been modified to time-sharing systems.

Advantages of Timesharing operating systems

1. Provides the advantage of quick response.
2. Avoids duplication of software.
3. Reduces CPU idle time.

Disadvantages of Time-sharing operating systems

1. Problem of reliability.
2. Question of security and integrity of user programs and data.
3. Problem of data communication.

Distributed operating System

Distributed systems use multiple central processors to serve multiple real-time applications and multiple users. Data processing jobs are distributed among the processors accordingly.

The processors communicate with one another through various communication lines (such as high-speed buses or telephone lines). These are referred as **loosely coupled systems** or distributed systems. Processors in a distributed system may vary in size and function. These processors are referred as sites, nodes, computers, and so on.

The advantages of distributed systems are as follows –

1. With resource sharing facility, a user at one site may be able to use the resources available at another.
2. Speedup the exchange of data with one another via electronic mail.
3. If one site fails in a distributed system, the remaining sites can potentially continue operating.
4. Better service to the customers.
5. Reduction of the load on the host computer.
6. Reduction of delays in data processing.

Network operating System

A Network Operating System runs on a server and provides the server the capability to manage data, users, groups, security, applications, and other networking functions. The primary purpose of the network operating system is to allow shared file and printer access among multiple computers in a network, typically a local area network (LAN), a private network or to other networks.

Examples of network operating systems include Microsoft Windows Server 2003, Microsoft Windows Server 2008, UNIX, Linux, Mac OS X, Novell NetWare, and BSD.

The advantages of network operating systems are as follows –

1. Centralized servers are highly stable.
2. Security is server managed.
3. Upgrades to new technologies and hardware can be easily integrated into the system.
4. Remote access to servers is possible from different locations and types of systems.

The disadvantages of network operating systems are as follows –

1. High cost of buying and running a server.
2. Dependency on a central location for most operations.
3. Regular maintenance and updates are required.

Real Time operating System

A real-time system is defined as a data processing system in which the time interval required to process and respond to inputs is so small that it controls the environment. The time taken by the system to respond to an input and display of required updated information is termed as the **response time**. So in this method, the response time is very less as compared to online processing.

Real-time systems are used when there are rigid time requirements on the operation of a processor or the flow of data and real-time systems can be used as a control device in a dedicated application. A real-time operating system must have well-defined, fixed time constraints, otherwise the system will fail. For example, Scientific experiments, medical imaging systems, industrial control systems, weapon systems, robots, air traffic control systems, etc.

There are two types of real-time operating systems.

Hard real-time systems

Hard real-time systems guarantee that critical tasks complete on time. In hard real-time systems, secondary storage is limited or missing and the data is stored in ROM. In these systems, virtual memory is almost never found.

Soft real-time systems

Soft real-time systems are less restrictive. A critical real-time task gets priority over other tasks and retains the priority until it completes. Soft real-time systems have limited utility than hard real-time systems. For example, multimedia, virtual reality, Advanced Scientific Projects like undersea exploration and planetary rovers, etc.

Other types

GUI - Short for Graphical User Interface, a GUI Operating System contains graphics and icons and is commonly navigated by using a computer mouse. Below are some examples of GUI Operating Systems.

[System 7.x](#)
[Windows 98](#)
[Windows CE](#)

Multi-user - A multi-user operating system allows for multiple users to use the same computer at the same time and/or different times. Below are some examples of multi-user operating systems.

[Linux](#)
[Unix](#)
[Windows 2000](#)

Other types

Multiprocessing - An operating system capable of supporting and utilizing more than one computer processor. Below are some examples of multiprocessing operating systems.

[Linux](#)
[Unix](#)
[Windows 2000](#)

Multitasking - An operating system that is capable of allowing multiple software processes to run at the same time. Below are some examples of multitasking operating systems.

[Unix](#)
[Windows 2000](#)

Multithreading

Multithreading - Operating systems that allow different parts of software program to run concurrently. Operating systems that would fall into this category are:

[Linux](#)

[Unix](#)

[Windows 2000](#)

[Linux / Variants](#)

[MacOS](#)

[MS-DOS](#)

[IBM OS/2 Warp](#)

[Unix / Variants](#)

[Windows CE](#)

[Windows 3.x](#)

[Windows 95](#)

[Windows 98](#)

[Windows 98 SE](#)

[Windows ME](#)

[Windows NT](#)

[Windows 2000](#)

[Windows XP](#)

[Windows Vista](#)